


wherein (C_3R_3) is a cyclopropenyl ring and each R is a monodentate or a bidentate radical and is independently hydrogen, hydrocarbyl, substituted-hydrocarbyl, halocarbyl, substituted-halocarbyl, hydrocarbyl-substituted organometalloid, halocarbyl-substituted organometalloid, disubstituted boron, disubstituted pnictogen, substituted chalcogen or halogen, and when R is a bidentate radical it may form a C_4 to C_{20} ring system to give a saturated or unsaturated polycyclic cyclopropenyl ligand or it may form a bridge between one (C_3R_3) and another (C_3R_3) or an X radical; each X radical is independently a halide, hydride, hydrocarbyl, substituted hydrocarbyl, halocarbyl, substituted halocarbyl, and hydrocarbyl- and halocarbyl-substituted organometalloid, substituted pnictogen, or substituted chalcogen and one X may be a pi-bonded cyclopentadienyl or a cyclopentadienyl-derived ligand and one X may be an amido or an imido radical; M is a Group 3, 4, 5, 6, 8, 9 or 10 transition metal, and m and n are integers of 1 or greater and $m+n$ satisfies the valence of M.

If it would be of assistance to resolve any outstanding issues in the present application, the Examiner is invited to contact the undersigned.

Respectfully submitted,



Lisa Jones

Registration No. 41,878

Univation Technologies LLC.
5555 San Felipe, Suite 1950
Houston, Texas 77056
Phone: (713) 892-3729
Facsimile: (713) 892-3687